

2019

WORLD CLASS MOWERS **WORLD PROVEN**



WORLDLAWN[®]
POWER EQUIPMENT

28" WALK BEHINDS

Model Number	WY28S11BS	WY28S11BSE	WY28S11HD
Length	60.5"	60.5"	60.5"
Width	38"	38"	38"
Width w/ deflector up	30"	30"	30"
Wheelbase	28.1"	28.1"	28.1"
Wheel Track Width	22.6"	22.6"	22.6"
Weight	314 lbs	347 lbs	324 lbs
Front Tires	8 - 3.00 x 4 smooth	8 - 3.00 x 4 smooth	8 - 3.00 x 4 smooth
Rear Tires	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf
Deck Material	11 ga Steel	11 ga Steel	11 ga Steel
Cut Width	28	28	28
Cutting Heights	1.5"-4"	1.5"-4"	1.5"-4"
PTO	Manual	Manual	Manual
Fuel Capacity	2	2	2
Engine Brand	Briggs	Briggs	Honda
Engine HP	10.5	11.5	10.7
Forward Speed	3.55 mph	3.55 mph	3.55 mph
Powered Reverse	NO	NO	NO
Blades	2 - 14.5"	2 - 14.5"	2 - 14.5"
Starting Method	Recoil	Electric	Recoil
Transmission	3 speed forward	3 speed forward	3 speed forward

32" WALK BEHINDS

Model Number	WY32S11BS	WY32S11BSE	WY32S11HD	WY32S11HDE
Length	66.1"	66.1"	66.1"	66.1"
Width	41.3"	41.3"	41.3"	41.3"
Width w/ deflector up	32.8"	32.8"	32.8"	32.8"
Wheelbase	31.8"	31.8"	31.8"	31.8"
Wheel Track Width	23.7"	23.7"	23.7"	23.7"
Weight	333 lbs	366 lbs	349 lbs	433 lbs
Front Tires	8-3.00x4 smooth	8-3.00x4 smooth	8-3.00x4 smooth	8-3.00x4 smooth
Rear Tires	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf
Deck Material	11 ga Steel	11 ga Steel	11 ga Steel	11 ga Steel
Cut Width	32	32	32	32
Cutting Heights	1.5"-4"	1.5"-4"	1.5"-4"	1.5"-4"
PTO	Manual	Manual	Manual	Manual
Fuel Capacity	2	2	2	2
Engine Brand	Briggs	Briggs	Honda	Honda
Engine HP	10.5	11.5	10.7	10.7
Forward Speed	3.55 mph	3.55 mph	3.55 mph	3.55 mph
Powered Reverse	NO	NO	NO	NO
Blades	2 - 16.5"	2 - 16.5"	2 - 16.5"	2 - 16.5"
Starting Method	Recoil	Electric	Recoil	Electric
Transmission	3 speed forward	3 speed forward	3 speed forward	3 speed forward



BELT DRIVEN WALK BEHIND

FEATURES

- 2 year commercial or residential warranty
- Ergonomically designed hand grips and controls
- Promote ease-of-use and operator comfort
- Easy pull pin height adjustment on floating deck
- Great for hard-to-reach, narrow spaces
- Discharge, mulch, or collect

2YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



Walk Behind | Grass Catcher

36" WALK BEHINDS

Model Number	WY3616KW	WY3616KWE	WYW36FS481V
Length	71.6"	71.6"	73"
Width	46.9"	46.9"	47"
Width w/ deflector up	39.3"	39.3"	36.5"
Wheelbase	35.2"	35.2"	35"
Wheel Track Width	28"	28"	28.5"
Weight	446 lbs	477 lbs	452 lbs
Front Tires	9 - 3.50 x 4 smooth	9 - 3.50 x 4 smooth	4.10 - 3.50 x 4 smooth
Rear Tires	13 - 6.50 x 6 turf	13 - 6.50 x 6 turf	13 - 6.50 x 6
Deck Material	7 ga Steel	7 ga Steel	10 ga. Steel
Cut Width	36	36	36
Cutting Heights	1.5"-4.5"	1.5"-4.5"	1" - 4"
PTO	Manual	Manual	Electric
Fuel Capacity	4	4	4
Engine Brand	KAW	KAW	KAW
Engine HP	14.5	14.5	14.5
Forward Speed	4.7 mph	4.7 mph	5 mph
Powered Reverse	YES	YES	YES
Blades	2 - 18"	2 - 18"	2 - 18"
Starting Method	Recoil	Electric	Recoil
Transmission	5 speed forward & 1 reverse	5 speed forward & 1 reverse	5-Speed Peerless w/ Reverse

48" WALK BEHIND

Model Number	WYW48FS481V
Length	73"
Width	59.5"
Width w/ deflector up	49"
Wheelbase	35"
Wheel Track Width	28.5"
Weight	512 lbs
Front Tires	4.10 - 3.50 x 4 smooth
Rear Tires	13 - 6.50 x 6
Deck Material	10 ga. Steel
Cut Width	48
Cutting Heights	1" - 4"
PTO	Electric
Fuel Capacity	4
Engine Brand	KAW
Engine HP	14.5
Forward Speed	5 mph
Powered Reverse	YES
Blades	3 - 16.25"
Starting Method	Recoil
Transmission	5-Speed Peerless w/ Reverse



BELT DRIVEN WALK BEHIND

FEATURES

- 2 year commercial and residential warranty
- Unique belt transmission system to guarantee long lifetime
- Ergonomically designed hand grips and controls promote ease-of-use and operator comfort
- Stand-on sulky available
- Kawasaki FS Series

2YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



Walk Behind | Optional Stand on Sulky

36" AND 48" HYDRO FIXED DECK

Model Number	WYW36FS481VH	WYW48FS481VH
Length	73"	73"
Width	47"	59.5"
Width w/ deflector up	36.5"	49"
Wheelbase	35"	41"
Wheel Track Width	28.5"	35"
Weight	503 lbs	512 lbs
Front Tires	4.10 - 3.50 x 4 smooth	4.10 - 3.50 x 4 smooth
Rear Tires	16 - 6.50 x 8	16 - 6.50 x 8
Deck Material	10 ga. Steel	10 ga. Steel
Cut Width	36	48
Cutting Heights	1" - 4"	1" - 4"
PTO	Electric	Electric
Fuel Capacity	4	4
Engine Brand	KAW	KAW
Engine HP	14.5	14.5
Forward Speed	6.5 mph	6.5 mph
Powered Reverse	YES	YES
Blades	2 - 18"	3 - 16.25"
Transmission	Hydro-Gear PE 10cc pump	Hydro-Gear PE 10cc pump
Final Drive	Parker TE0230 Motor	Parker TE0230 Motor

36" AND 48" HYDRO FLOATING DECK

Model Number	WYW36FS481VHF	WYW48FS481VHF
Length	73"	73"
Width	47"	59.5"
Width w/ deflector up	36.5"	49"
Wheelbase	35"	41"
Wheel Track Width	28.5"	35"
Weight	533 lbs	592 lbs
Front Tires	4.10 - 3.50 x 4 smooth	4.10 - 3.50 x 4 smooth
Rear Tires	16 - 6.50 x 8	16 - 6.50 x 8
Deck Material	10 ga. Steel	10 ga. Steel
Cut Width	36	48
Cutting Heights	1" - 4"	1" - 4"
PTO	Electric	Electric
Fuel Capacity	4	4
Engine Brand	KAW	KAW
Engine HP	14.5	14.5
Forward Speed	6.5 mph	6.5 mph
Powered Reverse	YES	YES
Blades	2 - 18"	3 - 16.25"
Transmission	Hydro-Gear PE 10cc pump	Hydro-Gear PE 10cc pump
Final Drive	Parker TE0230 Motor	Parker TE0230 Motor



HYDRO DRIVEN WALK BEHIND

FEATURES

- Available with fixed or floating decks
- Long life, maintenance free spindles
- Dual pumps and wheel motors
- Side discharge, bag, or mulching capabilities
- Easy to operate controls
- (RDC) Remote Discharge Control standard on floating deck*
- Simple track-on-the-go adjustment (tool-less design)
- Kawasaki FS Series

3YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



Walk Behind | Remote Discharge Control
Float Deck Only



46" VIPER

Model Number	WYRZ46XS20BS	WYRZ46XS22KW
Length	72"	72"
Width	55"	55"
Width w/ deflector up	47.5"	47.5"
Wheelbase	44"	44"
Wheel Track Width	33.8"	33.8"
Weight	544	544
Front Tires	11-4.00x5 smooth	11-4.00x5 smooth
Rear Tires	18 - 9.5 x 8 turf	18 - 9.5 x 8 turf
Deck Material	11 ga Steel	11 ga Steel
Cut Width	46	46
Cutting Heights	1.5" - 4.5"	1.5" - 4.5"
PTO	Electric	Electric
Fuel Capacity	4	4
Engine Brand	Briggs	KAW
Engine HP	20	21.5
Forward Speed	7 mph	7 mph
Powered Reverse	YES	YES
Blades	3 - 16"	3 - 16"
Transmission	Hydro-Gear EZT	Hydro-Gear EZT

50" AND 60" VIPER XL

Model Number	WYRZ50XL26BS	WYRZ50XL24KW	WYRZ60XL26BS	WYRZ60XL24KW
Length	72"	72"	72"	72"
Width	59"	59"	68.5"	68.5"
Width w/ deflector up	51"	51"	61"	61"
Wheelbase	44"	44"	44"	44"
Wheel Track Width	33.8"	33.8"	33.8"	33.8"
Weight	590	590	637	637
Front Tires	13-5.00x6 smooth	13-5.00x6 smooth	13-5.00x6 smooth	13 - 5.00 x 6 smooth
Rear Tires	20-10.00x10 turf	20-10.00x10 turf	20-10.00x10 turf	20 - 10.00 x 10 turf
Deck Material	11 ga Steel	11 ga Steel	11 ga Steel	11 ga Steel
Cut Width	50	50	60	60
Cutting Heights	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"
PTO	Electric	Electric	Electric	Electric
Fuel Capacity	4	4	4	4
Engine Brand	Briggs	KAW	Briggs	KAW
Engine HP	26	23	26	23
Forward Speed	7 mph	7 mph	7 mph	7 mph
Powered Reverse	YES	YES	YES	YES
Blades	3 - 17.3"	3 - 17.3"	3 - 20.5"	3 - 20.5"
Transmission	Hydro-Gear ZT-2800	Hydro-Gear ZT-2800	Hydro-Gear ZT-2800	Hydro-Gear ZT-2800



VIPER

FEATURES

- Fabricated steel deck with front reinforcement
- Hydro-Gear EZT transmissions on 46" mower
- 3 year residential warranty
- Hydro-Gear ZT-2800 transmissions on 50" and 60" mower
- Discharge, mulch, or collect

3YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



34" GATER

Model Number	WYZ34FS600V
Length	73"
Width	45"
Width w/ deflector up	35"
Wheelbase	43"
Wheel Track Width	33.5"
Weight	770 lbs
Front Tires	4.10-3.50 x 4 smooth
Rear Tires	18 - 7.50 x 10 turf
Deck Material	10 ga. Steel
Cut Width	34
Cutting Heights	1" - 4.5"
PTO	Electric
Fuel Capacity	6
Engine Brand	KAW
Engine HP	18
Forward Speed	8 mph
Powered Reverse	YES
Blades	1 - 14.25", 1 - 20.25"
Transmission	Hydro-Gear ZT-3100



GATER

FEATURES

- 34" Deck to get through 36" gates
- 10 ga. fabricated floating steel deck reinforced with 7 ga. top plate and side skirts
- Hydro-Gear ZT-3100 Transmissions
- Small footprint to allow more on your trailer
- Discharge, mulch, or collect

2YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



48", 52", AND 60" DIAMONDBACK

Model Number	WYDB48FR691V32	WYDB52FR691V32	WYDB60FR730V32
Length	77.4"	77.4"	77.4"
Width	60"	65.5"	73"
Width w/ deflector up	49"	53"	61"
Wheelbase	50.5"	50.5"	50.5"
Wheel Track Width	47"	49.5"	49.5"
Weight	920 lbs	950 lbs	1020 lbs
Front Tires	13-5.00 x 6 smooth	13-6.50 x 6 smooth	13-6.50 x 6 smooth
Rear Tires	23 - 9.50 x 12 turf	23 - 10.50 x 12 turf	23 - 10.50 x 12 turf
Deck Material	8 ga. Steel	8 ga. Steel	8 ga. Steel
Cut Width	48	52	60
Cutting Heights	1.5"-4.75"	1.5"-4.75"	1.5"-4.75"
PTO	Electric	Electric	Electric
Fuel Capacity	9.5	9.5	9.5
Engine Brand	KAW	KAW	KAW
Engine HP	23	23	24
Forward Speed	9 mph	9 mph	9 mph
Powered Reverse	YES	YES	YES
Blades	3 - 16.25"	3 - 18"	3 - 20"
Transmission	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200

52" AND 60" DIAMONDBACK XE

Model Number	WYDB52FX691V34E	WYDB60FX730V34E
Length	77.4"	77.4"
Width	65.5"	73"
Width w/ deflector up	53"	61"
Wheelbase	50.5"	50.5"
Wheel Track Width	49.5"	49.5"
Weight	950 lbs	1020 lbs
Front Tires	13-6.50 x 6 smooth	13-6.50 x 6 smooth
Rear Tires	23 - 10.50 x 12 turf	23 - 10.50 x 12 turf
Deck Material	8 ga. Steel	8 ga. Steel
Cut Width	52	60
Cutting Heights	1.5"-4.75"	1.5"-4.75"
PTO	Electric	Electric
Fuel Capacity	9.5	9.5
Engine Brand	KAW	KAW
Engine HP	22	23.5
Forward Speed	10 mph	10 mph
Powered Reverse	YES	YES
Blades	3 - 18"	3 - 20"
Transmission	Hydro-Gear ZT-3400	Hydro-Gear ZT-3400



DIAMONDBACK

FEATURES

- Hydro-Gear transmissions
- R.O.P.S. standard
- Triple layer spindle support
- Discharge, mulch, or collect
- FR Kawasaki Series on Diamondbacks
- FX Kawasaki Series on XE

3YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



48" AND 52" COBRA

Model Number	WYZ4824KWH	WYZ5224KWH
Length	63"	63"
Width	60"	65"
Width w/ deflector up	50"	53"
Wheelbase	48.6"	48.6"
Wheel Track Width	39"	39"
Weight	1026	1059
Front Tires	13 - 5.00 x 6 smooth	13 - 5.00 x 6 smooth
Rear Tires	23 - 10.50 x 12 turf	23 - 10.50 x 12 turf
Deck Material	7 ga Steel	7 ga Steel
Cut Width	48	52
Cutting Heights	1.5" - 4.5"	1.5" - 4.5"
PTO	Electric	Electric
Fuel Capacity	10	10
Engine Brand	KAW	KAW
Engine HP	22	22
Forward Speed	10 mph	10 mph
Powered Reverse	YES	YES
Blades	3 - 16.5"	3 - 18"
Transmission	Hydro-Gear 10cc pump	Hydro-Gear 10cc pump
Final Drive	Parker Wheel motors	Parker Wheel motors

52" AND 60" COBRA

Model Number	WYZ5227KWH	WYZ6027KWH
Length	63"	63"
Width	65"	73"
Width w/ deflector up	53"	61"
Wheelbase	48.6"	48.6"
Wheel Track Width	39"	39"
Weight	1056	1105
Front Tires	13 - 5.00 x 6 smooth	13 - 5.00 x 6 smooth
Rear Tires	23 - 10.50 x 12 turf	23 - 10.50 x 12 turf
Deck Material	7 ga Steel	7 ga Steel
Cut Width	52	60
Cutting Heights	1.5" - 4.5"	1.5" - 4.5"
PTO	Electric	Electric
Fuel Capacity	10	10
Engine Brand	KAW	KAW
Engine HP	24.5	24.5
Forward Speed	10 mph	10 mph
Powered Reverse	YES	YES
Blades	3 - 18"	3 - 20"
Transmission	Hydro-Gear 10cc pump	Hydro-Gear 10cc pump
Final Drive	Parker Wheel motors	Parker Wheel motors



COBRA

FEATURES

- Powered by Kawasaki FX series engines
- 7 gauge steel floating deck
- Dual pumps and wheel motors
- R.O.P.S. standard
- Discharge, mulch, or collect
- Hydro oil cooler standard

3YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



Cobra | Back Right View With Bagger



52" AND 60" KING COBRA

Model Number	WYK52FX801V5	WYK60FX850V5X
Length	78"	79"
Width	65"	73"
Width w/ deflector up	53"	61"
Wheelbase	50.5"	54.5"
Wheel Track Width	47"	50"
Weight	1050 lbs	1110 lbs
Front Tires	13-6.50 x 6 smooth	13-6.50 x 6 smooth
Rear Tires	24 - 9.50 x 12 turf	24 - 12.50 x 12 turf
Deck Material	8 ga. Steel	8 ga. Steel
Cut Width	52	60
Cutting Heights	1"-5.25"	1"-5.25"
PTO	Electric	Electric
Fuel Capacity	14	14
Engine Brand	KAW	KAW
Engine HP	25.5	27
Forward Speed	12 mph	12 mph
Powered Reverse	YES	YES
Blades	3 - 18"	3 - 20"
Transmission	Hydro-Gear ZT-5400	Hydro-Gear ZT-5400

60" KING COBRA WITH SUSPENSION SEAT

Model Number	WYK60FX921VS
Length	79"
Width	73"
Width w/ deflector up	61"
Wheelbase	54.5"
Wheel Track Width	50"
Weight	1110 lbs
Front Tires	13-6.50 x 6 smooth
Rear Tires	24 - 12.50 x 12 turf
Deck Material	8 ga. Steel
Cut Width	60
Cutting Heights	1"-5.25"
PTO	Electric
Fuel Capacity	14
Engine Brand	KAW
Engine HP	31
Forward Speed	12 mph
Powered Reverse	YES
Blades	3 - 20"
Transmission	Hydro-Gear ZT-5400



KING COBRA

FEATURES

- Kawasaki FX series engines
- Maintenance free sealed non-greasable spindles
- Single point height setting with four fine adjustments
- Triple laminate cutter housing mounting
- Hydro-Gear ZT-5400 transmissions
- Discharge, mulch, or collect
- Approx. 8 ga. steel deck
- Standard R.O.P.S.

3YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



King Cobra | Floating Foot Platform



72" PYTHON

Model Number	WYP72FX1000V5
Length	91"
Width	86"
Width w/ deflector up	73"
Wheelbase	61"
Wheel Track Width	49"
Weight	1550 lbs
Front Tires	13-6.50 x 6 smooth
Rear Tires	26 - 12 x 12
Deck Material	8 ga. Steel
Cut Width	72
Cutting Heights	1.5" - 5.5"
PTO	Electric
Fuel Capacity	14
Engine Brand	KAW
Engine HP	35
Forward Speed	12 mph
Powered Reverse	YES
Blades	3 - 24.5"
Transmission	Hydro-Gear ZT-5400




PYTHON

FEATURES

- Electric Deck Lift
- Articulating Front End
- Suspension Seat
- 1¼ receiver mounts on front and back
- Powered by FX 1000 Kawasaki
- Hydro-Gear ZT-5400
- Isolated Foot Platform



Python | Control Panel



Python | Electric Deck Lift



32" AND 36" VENOM

Model Number	WYS32FS600VL	WYS36FS600VL
Length	67.5"	67.5"
Width	45"	48"
Width w/ deflector up	37.4"	40"
Wheelbase	31.5"	34.5"
Wheel Track Width	25"	26.5"
Weight	690 lbs	700 lbs
Front Tires	11-4.0 x 5 smooth	11-4.0 x 5 smooth
Rear Tires	18-7.50 x 10 Turf	18-8.50 x 10 Turf
Deck Material	8 ga. Steel	8 ga. Steel
Cut Width	32	36
Cutting Heights	1.5"-5"	1.5"-5"
PTO	Electric	Electric
Fuel Capacity	4.5	4.5
Engine Brand	KAW	KAW
Engine HP	18	18
Forward Speed	8 mph	8 mph
Powered Reverse	YES	YES
Blades	2 - 16"	2 - 18"
Transmission	Parker HTE	Parker HTE

48", 52", AND 60" VENOM

Model Number	WYS48FX730VX	WYS52FX730VX	WYS60FX730VX
Length	74"	74"	74"
Width	60"	65.5	73
Width w/ deflector up	49"	53"	61"
Wheelbase	42.5"	45"	45"
Wheel Track Width	33"	34.75	34.75
Weight	880 lbs	895 lbs	916 lbs
Front Tires	13-5.00x6 smooth	13-6.50x6 smooth	13-6.50x6 smooth
Rear Tires	22-10.00 x 10 turf	22-11.00 x 10 turf	22-11.00 x 10 turf
Deck Material	8 ga. Steel	8 ga. Steel	8 ga. Steel
Cut Width	48	52	60
Cutting Heights	1.5"-5"	1.5"-5"	1.5"-5"
PTO	Electric	Electric	Electric
Fuel Capacity	8	8	8
Engine Brand	KAW	KAW	KAW
Engine HP	23.5	23.5	23.5
Forward Speed	10.5 mph	10.5 mph	10.5 mph
Powered Reverse	YES	YES	YES
Blades	3 - 16.25"	3 - 18"	3 - 20"
Transmission	Parker HTJ	Parker HTJ	Parker HTJ



VENOM

FEATURES

- 8 ga. steel floating deck
- Walk or ride
- Powered by Kawasaki FX730V or FS600V engines
- Fold up operator platform to convert to walk behind and allow more units on trailers
- Remote Discharge Control (RDC) is an option on 32" and 36" models
- Height adjustment knob for a precise cut

3YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



Venom | Kawasaki Engine



Venom | Control Panel



Venom | Operator Platform



Venom | Shown With Bagger

22" AND 24" SNOW THROWERS

Model	WS2265BSE	WS2475BSE
Length	58"	58"
Height	39"	39"
Throwing Distance	Up to 35'	Up to 35'
Auger Diameter	12"	12"
Chute Radius	200 degrees	200 degrees
Weight	165	170
Tire Size	13"x5"	13"x5"
Clearing Width	22"	24"
Starting System	110 volt electric / manual	110 volt electric / manual
Fuel Capacity	.7 Gal	.7 Gal
Engine Brand	Briggs	Briggs
Transmission	3 Forward / 1 Reverse	3 Forward / 1 Reverse

26" SNOW THROWERS

Model	WS2690BSE
Length	61"
Height	42"
Throwing Distance	Up to 50'
Auger Diameter	14"
Chute Radius	200 degrees
Weight	225
Tire Size	15"x5.5"
Clearing Width	26"
Starting System	110 volt electric / manual
Fuel Capacity	.8 Gal
Engine Brand	Briggs
Transmission	6 Forward / 2 Reverse



SNOW THROWERS

FEATURES

- Friction disc transmission
- Built-in headlight
- Manual, 110 volt electric starting system
- 2 year residential warranty
- 12" diameter impeller

2YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



200°
CHUTE
RADIUS

35'-50'
THROW
DISTANCE



**INNOVATION, RELIABILITY AND
WORLD-CLASS COMPONENTS**

**WORL DLAWN DELIVERS
A POWERFUL PRODUCT
AT A POWERFUL PRICE.**



Part #943188
10000.12.18.V16.7

401 N. Commerce Street Beatrice, NE 68310 | 800.267.4255 | WORL DLAWN.COM



WORL DLAWN[®]
POWER EQUIPMENT